

L Number	Hits	Search Text	DB	Time stamp
-	8523	viterbi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 15:49
-	0	((viterbi near (decoder decode decoding)) and (signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power (signal near (strength power energy))) and ((predetermined near (limit value)) threshold) and ((path near metric) path-metric) and ((code coder codes coding) near (rate speed))).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 17:46
-	0	((viterbi near (decoder decode decoding)) and (signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power (signal near (strength power energy))) and ((predetermined near (limit value)) threshold) and ((path near metric) path-metric) and ((code coder codes coding) near (rate speed))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 15:58
-	46	(viterbi near (decoder decode decoding)) and (signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power (signal near (strength power energy))) and ((predetermined near (limit value)) threshold) and ((path near metric) path-metric) and ((code coder codes coding) near (rate speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:29
-	0	((viterbi convolutional) near (decoder decode decoding)) and (((data information signal) near (multiple plurality many)) same (multiplexer interleave interleaving interleaved paralled-to-serial)) and ((signal-to-noise SNR CNR carrier-to-noise BER bit-error-rate (bit adj error adj rate) signal-energy signal-strength signal-power (signal near (strength power energy))) with ((predetermined near (limit value)) threshold))) and ((path near metric) path-metric) and (((code coder codes coding) near (rate speed)) with (predetermined near (limit value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:41
-	0	((viterbi convolutional) near (decoder decode decoding)) and (((data information signal) near (multiple plurality many)) same (multiplexer interleave interleaving interleaved paralled-to-serial)) and ((signal-to-noise SNR CNR carrier-to-noise BER bit-error-rate (bit adj error adj rate) signal-energy signal-strength signal-power (signal near (strength power energy))) with ((predetermined near (limit value)) threshold))) and ((path near metric) path-metric) and (((code coder codes coding) near (rate speed)) with (predetermined near (limit value))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:42
-	0	((viterbi convolutional) near (decoder decode decoding)) and (multiplexer interleave interleaving interleaved paralled-to-serial) and ((signal-to-noise SNR CNR carrier-to-noise BER bit-error-rate (bit adj error adj rate) signal-energy signal-strength signal-power (signal near (strength power energy))) same ((predetermined near (limit value)) threshold))) and ((path near metric) path-metric) and (((code coder codes coding) near (rate speed)) with (predetermined near (limit value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:44
-	5711	(viterbi convolutional) near (decoder decode decoding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:45
-	448	((viterbi convolutional) near (decoder decode decoding)) and ((multiplexer multiplex multiplexed multiplexes) near (data signal information data-stream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:46
-	66	((viterbi convolutional) near (decoder decode decoding)) and ((multiplexer multiplex multiplexed multiplexes) near (data signal information data-stream))) and ((SNR (signal-to-noise adj ratio) CNR carrier-to-noise noise) with (threshold (predetermined adj (value limit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:49

-	66	((viterbi convolutional) near (decoder decode decoding)) and ((multiplexer multiplex multiplexed multiplexes) near (data signal information data-stream))) and ((SNR (signal-to-noise adj ratio) CNR carrier-to-noise noise BER bit-error-rate) with (threshold (predetermined adj (value limit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:49
-	66	((viterbi convolutional) near (decoder decode decoding)) and ((multiplexer multiplex multiplexed multiplexes) near (data signal information data-stream))) and ((SNR (signal-to-noise adj ratio) CNR carrier-to-noise noise BER bit-error-rate) with (threshold (predetermined adj (value limit)))) and (clocks clocked clocking timing synchronizing synchronized time-division timer times time clocks timed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:51
-	35	((viterbi convolutional) near (decoder decode decoding)) and ((multiplexer multiplex multiplexed multiplexes) near (data signal information data-stream))) and ((SNR (signal-to-noise adj ratio) CNR carrier-to-noise noise BER bit-error-rate) with (threshold (predetermined adj (value limit)))) and (clocks clocked clocking timing synchronizing synchronized time-division timer times time clocks timed)) and ((code coding coded coder) near (rate time speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:52
-	0	(signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power (signal near (strength power energy))) with ("path metric" near viterbi)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 17:48
-	9	(signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power (signal near (strength power energy))) with ("path metric" and viterbi)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 17:59
-	9	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power (signal near (strength power energy))) with ("path metric" and viterbi) ) and (signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power signal strength power energy path metric viterbi)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:06
-	484	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing compares compared)) and (viterbi)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 11:15
-	7	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing compares compared)) and ((viterbi convolution) near code) and (path near metric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:39
-	7	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing comparison compares compared)) and ((viterbi convolution) near code) and (path near metric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:41
-	12	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing comparison compares compared)) and ((viterbi convolution) near code) and ((path state)near metric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:43
-	12	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing comparison compares compared)) and ((viterbi convolution) near code) and ((path state)near metric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:56

-	2409	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and ((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) with (((predetermined reference) adj (value limit)) compare comparator comparing comparsion compares compared))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 09:06
-	480	((((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and ((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) with (((predetermined reference) adj (value limit)) compare comparator comparing comparsion compares compared))).ab.) and (decode decoder decoding decoded coder code coded coding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 09:07
-	6	((((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and ((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) with (((predetermined reference) adj (value limit)) compare comparator comparing comparsion compares compared))).ab.) and (decode decoder decoding decoded coder code coded coding)) and ((path state) near (metric))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 09:08
-	461	714/755.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:51
-	1	714/755.ccls. and (((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and ((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) with (((predetermined reference) adj (value limit)) compare comparator comparing comparsion compares compared))).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:48
-	207	714/799.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:52
-	0	((((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and ((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) with (((predetermined reference) adj (value limit)) compare comparator comparing comparsion compares compared))).ab.) and 714/799.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:52
-	29	714/817.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:57
-	861	714/704.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:57

-	155	714/774.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 10:57
-	12	714/704.ccls. and 714/774.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 11:00
-	17	714/704.ccls. and (((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing compares compared)) and (viterbi) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 11:13
-	5	714/774.ccls. and (((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing compares compared)) and (viterbi) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 11:00
-	55	(((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing compares compared)) and (viterbi) ) and "path metric"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 11:15
-	484	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) with ((predetermined adj (value limit)) compare comparator comparing compares compared)) and (viterbi) and (signal strenght power energy bit error rate compare comparator state path metric coding rate multiplexer multiplex initialization)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 11:20
-	56	(signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate (bit near error near rate) (signal near (strength power energy))) and ((predetermined adj (value limit)) compare comparator comparing compares compared) and viterbi and ((state path) adj metric) and ((code coding) adj rate) and (multiplexer multiplex multiplexing multiplexed initialization)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:38
-	82378	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and (((predetermined reference) adj (value limit)) compare comparator comparing compares compared))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:44
-	5327	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) and (((predetermined reference) adj (value limit)) compare comparator comparing compares compared)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:44
-	2153	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) near (((predetermined reference) adj (value limit)) compare comparator comparing compares compared))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:46
-	409	((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) near (((predetermined reference) adj (value limit)) compare comparator comparing compares compared)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:47
-	633	(((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) near (((predetermined reference) adj (value limit)) compare comparator comparing compares compared)) ) and (decode decoder decoded decoding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:47

-	44	(((signal-to-noise SNR CNR carrier-to-noise signal-energy signal-strength signal-power BER bit-error-rate ((bit adj error) adj rate) (signal near (strength power energy))) near (((predetermined reference) adj (value limit)) compare comparator comparing compares compared)).ab. ) and (decode decoder decoded decoding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 12:47
---	----	--	---	------------------